

Verbreeppark 15 NL-2731 BR Benthuizen
Postbus 183 NL-2700 AD Zoetermeer
Telefoon: (079) 331 93 13*
Fax: (079) 342 35 72
E-mail: info@jobarco.com
Internet: www.jobarco.com

Bank: ABN-AMRO Amsterdam
45.73.01.031
IBAN: NL17ABNA0457301031
BIC: ABNANL2A
Postbank: 233083
K.v.K. Leiden nr. 28058530



multi-conductor cable CY



Application	: Flexible cable, copper braided. Protects against electromagnetic interference (EMI).
TECHNICAL DATA	: TYPE CY
Standards	: According to VDE 0245, 0281, 0293, 0295, 0472, 0473, 0482.
Construction of conductor	: Highly flexible, finely stranded, bare copper, according to VDE 0295/5.
Insulation of conductor	: PVC according to VDE 0281/1.
Coding of conductors	: Colour coding according to DIN 47100
Braiding	: Tinned copper braiding.
Outer jacket	: PVC TM 1/2 according to VDE 0281/1. Flexible PVC with excellent features: Tensile strength: 18.00 N/mm ² Elongation: 323%
Colour of outer jacket	: PVC grey, RAL 7001. Also available in red and blue.
Bend radius	: 15 x outer diameter
Temperature range	: Flexing: -5°C tot +70°C. Static: -30°C tot +70°C.
Insulation resistance	: Min 20 M. Ohm/km.
Test voltage	: Depending on conductor size 2000/3000 Volt.
Voltage rating	: Depending on conductor size 300/500 Volt.

Verbreepark 15 NL-2731 BR Benthuisen
 Postbus 183 NL-2700 AD Zoetermeer
 Telefoon (079) 331 93 13*
 Fax (079) 342 35 72
 E-mail info@jobarco.com
 Internet www.jobarco.com

Bank ABN-AMRO Amsterdam
 45.73.01.031
 IBAN NL17ABNA0457301031
 BIC ABNANL2A
 Postbank 233083
 K.v.K. Leiden nr. 28058530



CY

Art.no.	Cores	Gage mm2	Nominal O.D. mm	Art.no.	Cores	Gage mm2	Nominal O.D. mm	Art.no.	Cores	Gage mm2	Nominal O.D. mm
0116002	2 x 0,14		3,8	0116101	1 x 0,25		3,1	0116202	2 x 0,34		4,7
0116003	3 x 0,14		4,0	0116102	2 x 0,25		4,5	0116203	3 x 0,34		4,9
0116004	4 x 0,14		4,2	0116103	3 x 0,25		4,7	0116204	4 x 0,34		5,3
0116005	5 x 0,14		4,6	0116104	4 x 0,25		5,0	0116205	5 x 0,34		6,0
0116006	6 x 0,14		4,9	0116105	5 x 0,25		5,5	0116207	7 x 0,34		6,4
0116007	7 x 0,14		4,9	0116106	6 x 0,25		6,1	0116208	8 x 0,34		7,5
0116008	8 x 0,14		6,0	0116107	7 x 0,25		6,1	0116210	10 x 0,34		8,3
0116010	10 x 0,14		6,5	0116108	8 x 0,25		7,1	0116212	12 x 0,34		8,4
0116012	12 x 0,14		6,6	0116110	10 x 0,25		7,9	0116214	14 x 0,34		8,8
0116016	16 x 0,14		7,3	0116112	12 x 0,25		8,0	0116216	16 x 0,34		9,5
0116020	20 x 0,14		8,0	0116116	16 x 0,25		8,8	0116220	20 x 0,34		10,9
0116021	21 x 0,14		8,0	0116120	20 x 0,25		10,1	0116224	24 x 0,34		11,6
0116024	24 x 0,14		8,8	0116124	24 x 0,25		11,0	0116230	30 x 0,34		12,4
0116025	25 x 0,14		9,1	0116130	30 x 0,25		11,7	0116240	40 x 0,34		14,4
0116030	30 x 0,14		9,6	0116140	40 x 0,25		13,6	0116252	52 x 0,34		15,3
0116036	36 x 0,14		10,3	0116142	42 x 0,25		13,6	0116264	64 x 0,34		17,4
0116040	40 x 0,14		11,0	0116150	50 x 0,25		14,5				
0116050	50 x 0,14		11,7	0116161	61 x 0,25		15,3				
0116301	1 x 0,5		3,6	0116401	1 x 0,75		3,9	0116502	2 x 1		6,7
0116302	2 x 0,5		5,7	0116402	2 x 0,75		6,1	0116503	3 x 1		7,1
0116303	3 x 0,5		6,0	0116403	3 x 0,75		6,6	0116504	4 x 1		7,6
0116304	4 x 0,5		6,6	0116404	4 x 0,75		7,1	0116505	5 x 1		8,5
0116305	5 x 0,5		7,2	0116405	5 x 0,75		7,7	0116506	6 x 1		9,1
0116306	6 x 0,5		7,7	0116406	6 x 0,75		8,5	0116507	7 x 1		9,1
0116307	7 x 0,5		7,7	0116407	7 x 0,75		8,5	0116510	10 x 1		11,7
0116308	8 x 0,5		9,2	0116408	8 x 0,75		9,9	0116512	12 x 1		11,9
0116310	10 x 0,5		9,9	0116410	10 x 0,75		10,7	0116516	16 x 1		13,6
0116312	12 x 0,5		10,0	0116412	12 x 0,75		10,8	0116518	18 x 1		14,2
0116314	14 x 0,5		10,6	0116414	14 x 0,75		11,7	0116520	20 x 1		15,2
0116316	16 x 0,5		11,1	0116416	16 x 0,75		12,2	0116524	24 x 1		16,4
0116318	18 x 0,5		11,8	0116418	18 x 0,75		13,0	0116528	28 x 1		17,6
0116320	20 x 0,5		13,0	0116420	20 x 0,75		13,8	0116530	30 x 1		17,6
0116324	24 x 0,5		13,6	0116424	24 x 0,75		15,0	0116534	34 x 1		19,3
0116332	32 x 0,5		15,7	0116428	28 x 0,75		16,4				
0116340	40 x 0,5		17,5	0116430	30 x 0,75		16,4	0116601	1 x 1,5		4,5
0116350	50 x 0,5		19,0	0116440	40 x 0,75		19,2	0116602	2 x 1,5		7,2
0116361	61 x 0,5		19,9	0116450	50 x 0,75		20,8	0116603	3 x 1,5		7,6
				0116461	61 x 0,75		22,3	0116604	4 x 1,5		8,4
								0116605	5 x 1,5		9,1
0116702	2 x 2,5		8,7	0116802	2 x 4		10,1	0116606	6 x 1,5		10,1
0116703	3 x 2,5		9,2	0116804	4 x 4		11,8	0116607	7 x 1,5		10,1
0116704	4 x 2,5		10,2					0116608	8 x 1,5		12,0
0116705	5 x 2,5		11,3	0116904	4 x 6		14,4	0116610	10 x 1,5		12,9
0116708	8 x 2,5		14,8					0116612	12 x 1,5		13,0
0116710	10 x 2,5		16,1	0116950	4 x 10		17,7	0116614	14 x 1,5		14,3
0116712	12 x 2,5		16,4					0116616	16 x 1,5		15,9
								0116620	20 x 1,5		17,0
								0116624	24 x 1,5		19,4
								0116630	30 x 1,5		19,6

Verbreeppark 15 NL-2731 BR Benthuizen
 Postbus 183 NL-2700 AD Zoetermeer
 Telefoon (079) 331 93 13*
 Fax (079) 342 35 72
 E-mail info@jobarco.com
 internet www.jobarco.com

Bank ABN-AMRO Amsterdam
 45.73.01.031
 IBAN NL17ABNA0457301031
 BIC ABNANL2A
 Postbank 233083
 K.v.K. Leiden nr. 28058530



CY

Art.no.	Cores	Gage mm2	Nominal O.D. mm	Art.no.	Cores	Gage mm2	Nominal O.D. mm	Art.no.	Cores	Gage mm2	Nominal O.D. mm
---------	-------	-------------	-----------------------	---------	-------	-------------	-----------------------	---------	-------	-------------	-----------------------

With red outer jacket:

0116482	2 x 0,75	6,1
---------	----------	-----

With blue outer jacket:

0116392	2 x 0,5	5,7	0116492	2 x 0,75	6,7	0116592	2 x 1	7,5
0116393	3 x 0,5	6,0	0116493	3 x 0,75	7,0	0116593	3 x 1	7,8
0116394	4 x 0,5	6,8	0116494	4 x 0,75	7,6	0116594	4 x 1	8,5
0116396	6 x 0,5	8,0	0116496	6 x 0,75	9,1	0116692	2 x 1,5	8,3
0116397	12 x 0,5	10,0	0116497	7 x 0,75	9,1	0116693	3 x 1,5	8,7
0116398	20 x 0,5	13,0	0116498	12 x 0,75	11,8	0116694	4 x 1,5	9,6
0116793	3 x 2,5	10,6						
0116794	4 x 2,5	11,9						