

## Data cable EQ-flex CKY



**Application** : Used as computer cable and in other data transmission systems. Flexible, twisted pairs, overall braiding.

**TECHNICAL DATA** : TYPE CKY

**Remarks** : Oil resistant according to EN 50290-2-22 (TM54).

Stranding element	: Pairs
Conductor material	: Cu, bare
Conductor category	: Class 5 = flexible
Core insulation	: PVC
Core identification	: Colour
Screen over stranding element	: None
Screen over stranding	: Braiding
Material outer sheath	: PVC
Halogen free (acc. EN 60754-1/2)	: No
Flame retardant	: In accordance with EN 60332-1-2
Low smoke (acc. EN 61034-2)	: No
Permitted cable outer temperature, in movement	: -5°C to 70°C
Permitted cable outer temperature, fixed	: -30°C to 70°C

ProductNr	Dimension	Colour outer sheath	Outer diameter approx. (mm)	Number of stranding elements
1011002	2 x 2 x 0,14	Grey	5.4	2
1011003	3 x 2 x 0,14	Grey	5.6	3
1011004	4 x 2 x 0,14	Grey	5.9	4
1011005	5 x 2 x 0,14	Grey	6.4	5
1011006	6 x 1 x 0,14	Grey	7.2	6
1011008	8 x 2 x 0,14	Grey	7.8	8
1011010	10 x 2 x 0,14	Grey	8.7	10
1011012	12 x 2 x 0,14	Grey	9	12
1011025	25 x 2 x 0,14	Grey	12.6	25
1011102	2 x 2 x 0,25	Grey	6.3	2
1011103	3 x 2 x 0,25	Grey	6.7	3
1011104	4 x 2 x 0,25	Grey	7	4
1011105	5 x 2 x 0,25	Grey	8.1	5
1011106	6 x 2 x 0,25	Grey	8.5	6
1011108	8 x 2 x 0,25	Grey	9.7	8
1011110	10 x 2 x 0,25	Grey	10.8	10
1011112	12 x 2 x 0,25	Grey	11.3	12
1011116	16 x 2 x 0,25	Grey	12.7	16
1011134	2 x 2 x 0,34	Grey	7.2	2
1011303	3 x 2 x 0,34	Grey	7.6	3
1011304	2 x 4 x 0,34	Grey	8.2	2
1011305	5 x 2 x 0,34	Grey	8.7	5
1011306	6 x 2 x 0,34	Grey	9.9	6
1011138	8 x 2 x 0,34	Grey	11.3	8
1011202	2 x 2 x 0,5	Grey	7.9	2
1011203	3 x 2 x 0,5	Grey	8.5	3
1011204	4 x 2 x 0,5	Grey	9.1	4
1011206	3 x 4 x 0,5	Grey	10.8	3
1011208	8 x 2 x 0,5	Grey	12.4	8
1011210	10 x 2 x 0,5	Grey	14.5	10
1011212	12 x 2 x 0,5	Grey	14.5	12
1011401	2 x 2 x 0,75	Blue	8.4	2
1011402	2 x 2 x 0,75	Grey	8.4	2
1011403	3 x 2 x 0,75	Grey	9.6	3
1011404	4 x 2 x 0,75	Grey	10.2	4
1011406	6 x 2 x 0,75	Grey	12.1	6
1011408	8 x 2 x 0,75	Grey	14.3	8
1011412	12 x 2 x 0,75	Grey	16	12
1011425	25 x 2 x 0,75	Grey	22.8	25

ProductNr	Dimension	Colour outer sheath	Outer diameter approx. (mm)	Number of stranding elements
1011503	3 x 2 x 1	Grey	10.1	3
1011504	4 x 2 x 1	Grey	10.5	4