

## Power cord Jobspiral SP-TPE



<b>Application</b>	: Robust, highly flexible spiral cord for use in continuously moving apparatus.
<b>TECHNICAL DATA</b>	: TYPE SP-TPE
<b>Remarks</b>	: Our spiral cords are made of our PUR-TPE cable. Inner diameter spiral = 1,5 x the outer diameter of the cable. Outer diameter spiral = 3,5 x the outer diameter of the cable.
Conductor material	: Copper, bare
Nominal voltage	: 300V to 500V
Material outer sheath	: Polyurethane (PUR)
Temperature resistance	: -30°C to 90°C
Colour outer sheath	: Black
Spiralized cable	: Yes
Oil resistant (acc. EN 60811-404)	: Yes
With cord switch	: No



# JOBARCO

ProductNr	Dimension	Length (m)	Protective conductor	Outer diameter approx. (mm)
0204040	4 x 0.14	0.5	No	3.6
0206210	6 x 0.25	0.05	No	4.9
0205261	6 x 0.25	0.5	No	4.9
0205904	12 x 0.25	1.25	No	6.4
0207067	16 x 0.25	1	No	7
0206197	2 x 0.34	0.25	Yes	3.9
0203639	2 x 0.5	0.25	No	4.4
0205286	2 x 0.5	0.5	No	4.4
0205370	3 x 0.5	0.5	Yes	4.6
0205362	3 x 0.5	1.25	Yes	4.6
0205363	3 x 0.5	2.75	Yes	4.6
0205382	4 x 0.5	0.5	Yes	5
0205387	4 x 0.5	1	Yes	5
0205391	4 x 0.5	1.5	Yes	5
0205390	4 x 0.5	2	Yes	5
0205420	2 x 0.75	0.25	No	4.8
0205421	2 x 0.75	0.5	No	4.8
0205422	2 x 0.75	0.75	No	4.8
0205423	2 x 0.75	1	No	4.8
0205424	2 x 0.75	1.25	No	4.8
0205425	2 x 0.75	1.5	No	4.8
0205426	2 x 0.75	2	No	4.8
0205427	2 x 0.75	2.5	No	4.8
0205428	2 x 0.75	3	No	4.8
0205330	3 x 0.75	0.25	Yes	5
0205331	3 x 0.75	0.5	Yes	5
0205332	3 x 0.75	0.75	Yes	5
0205333	3 x 0.75	1	Yes	5
0205334	3 x 0.75	1.25	Yes	5
0205335	3 x 0.75	1.5	Yes	5
0205336	3 x 0.75	2	Yes	5
0205337	3 x 0.75	2.5	Yes	5
0205338	3 x 0.75	3	Yes	5
0205339	3 x 0.75	3.5	Yes	5
0205351	3 x 0.75	5	Yes	5
0205440	4 x 0.75	0.25	Yes	5.7
0205441	4 x 0.75	0.5	Yes	5.7
0205442	4 x 0.75	0.75	Yes	5.7
0205443	4 x 0.75	1	Yes	5.7
0205444	4 x 0.75	1.25	Yes	5.7
0205445	4 x 0.75	1.5	Yes	5.7
0205446	4 x 0.75	2	Yes	5.7



# JOBARCO

<b>ProductNr</b>	<b>Dimension</b>	<b>Length (m)</b>	<b>Protective conductor</b>	<b>Outer diameter approx. (mm)</b>
0205447	4 x 0.75	2.5	Yes	5.7
0205448	4 x 0.75	3	Yes	5.7
0205449	4 x 0.75	3.5	Yes	5.7
0205450	5 x 0.75	0.25	Yes	6.3
0205451	5 x 0.75	0.5	Yes	6.3
0205452	5 x 0.75	0.75	Yes	6.3
0205453	5 x 0.75	1	Yes	6.3
0205454	5 x 0.75	1.25	Yes	6.3
0205455	5 x 0.75	1.5	Yes	6.3
0205456	5 x 0.75	2	Yes	6.3
0205457	5 x 0.75	2.5	Yes	6.3
0205458	5 x 0.75	3	Yes	6.3
0205459	5 x 0.75	3.5	Yes	6.3
0206051	7 x 0.75	0.15	Yes	7.3
0206881	7 x 0.75	0.15	Yes	7.3
0205470	7 x 0.75	0.25	Yes	7.3
0205471	7 x 0.75	0.5	Yes	7.3
0205472	7 x 0.75	0.75	Yes	7.3
0205473	7 x 0.75	1	Yes	7.3
0205474	7 x 0.75	1.25	Yes	7.3
0205475	7 x 0.75	1.5	Yes	7.3
0205476	7 x 0.75	2	Yes	7.3
0205477	7 x 0.75	2.5	Yes	7.3
0205478	7 x 0.75	3	Yes	7.3
0205479	7 x 0.75	3.5	Yes	7.3
0205497	8 x 0.75	0.5	Yes	7.8
0205503	8 x 0.75	1	Yes	7.8
0205927	8 x 0.75	1.25	Yes	7.8
0205490	8 x 0.75	1.5	Yes	7.8
0209168	8 x 0.75	3	Yes	7.8
0206708	12 x 0.75	0.5	No	9
0206719	12 x 0.75	0.75	Yes	9
0206705	12 x 0.75	1	No	9
0206713	12 x 0.75	1.25	No	9
0206702	12 x 0.75	1.5	No	9
0206707	12 x 0.75	2	No	9
0206552	16 x 0.75	0.5	Yes	10
0205972	16 x 0.75	1	Yes	10



ProductNr	Dimension	Length (m)	Protective conductor	Outer diameter approx. (mm)
0205520	2 x 1	0.25	No	5.4
0205521	2 x 1	0.5	No	5.4
0205522	2 x 1	0.75	No	5.4
0205523	2 x 1	1	No	5.4
0205524	2 x 1	1.25	No	5.4
0205525	2 x 1	1.5	No	5.4
0205526	2 x 1	2	No	5.4
0205527	2 x 1	2.5	No	5.4
0205528	2 x 1	3	No	5.4
0205529	2 x 1	3.5	No	5.4
0206171	2 x 1	5	No	5.4
0206530	3 x 1	0.25	Yes	5.7
0206529	3 x 1	0.3	Yes	5.7
0206531	3 x 1	0.5	Yes	5.7
0206532	3 x 1	0.75	Yes	5.7
0206533	3 x 1	1	Yes	5.7
0206534	3 x 1	1.25	Yes	5.7
0206535	3 x 1	1.5	Yes	5.7
0206536	3 x 1	2	Yes	5.7
0206537	3 x 1	2.5	Yes	5.7
0206538	3 x 1	3	Yes	5.7
0205540	4 x 1	0.25	Yes	6.1
0205541	4 x 1	0.5	Yes	6.1
0205542	4 x 1	0.75	Yes	6.1
0205543	4 x 1	1	Yes	6.1
0205544	4 x 1	1.25	Yes	6.1
0205545	4 x 1	1.5	Yes	6.1
0205546	4 x 1	2	Yes	6.1
0205547	4 x 1	2.5	Yes	6.1
0205548	4 x 1	3	Yes	6.1
0205549	4 x 1	3.5	Yes	6.1
0205957	5 x 1	2	Yes	6.8
0206073	5 x 1	3	Yes	6.8
0205886	7 x 1	1	Yes	8.2
0206136	7 x 1	1.25	Yes	8.2
0205838	7 x 1	1.5	Yes	8.2
0206178	12 x 1	0.75	Yes	9.9



# JOBARCO

ProductNr	Dimension	Length (m)	Protective conductor	Outer diameter approx. (mm)
0205620	2 x 1.5	0.25	No	5.8
0205621	2 x 1.5	0.5	No	5.8
0205622	2 x 1.5	0.75	No	5.8
0205623	2 x 1.5	1	No	5.8
0205625	2 x 1.5	1.5	No	5.8
0205626	2 x 1.5	2	No	5.8
0205627	2 x 1.5	2.5	No	5.8
0205628	2 x 1.5	3	No	5.8
0205629	2 x 1.5	3.5	No	5.8
0205630	3 x 1.5	0.25	Yes	6.1
0205631	3 x 1.5	0.5	Yes	6.1
0205632	3 x 1.5	0.75	Yes	6.1
0205633	3 x 1.5	1	Yes	6.1
0205634	3 x 1.5	1.25	Yes	6.1
0205635	3 x 1.5	1.5	Yes	6.1
0205636	3 x 1.5	2	Yes	6.1
0205637	3 x 1.5	2.5	Yes	6.1
0205638	3 x 1.5	3	Yes	6.1
0205639	3 x 1.5	3.5	Yes	6.1
0205641	4 x 1.5	0.5	Yes	6.6
0205642	4 x 1.5	0.75	Yes	6.6
0205643	4 x 1.5	1	Yes	6.6
0205644	4 x 1.5	1.25	Yes	6.6
0205645	4 x 1.5	1.5	Yes	6.6
0205646	4 x 1.5	2	Yes	6.6
0205647	4 x 1.5	2.5	Yes	6.6
0205648	4 x 1.5	3	Yes	6.6
0205649	4 x 1.5	3.5	Yes	6.6
0205793	4 x 1.5	4	Yes	6.6
0205650	5 x 1.5	0.25	Yes	7.6
0205651	5 x 1.5	0.5	Yes	7.6
0205652	5 x 1.5	0.75	Yes	7.6
0205653	5 x 1.5	1	Yes	7.6
0205655	5 x 1.5	1.5	Yes	7.6
0205656	5 x 1.5	2	Yes	7.6
0205657	5 x 1.5	2.5	Yes	7.6
0205658	5 x 1.5	3	Yes	7.6
0205659	5 x 1.5	3.5	Yes	7.6
0205667	7 x 1.5	0.5	Yes	9.1
0205699	7 x 1.5	0.75	Yes	9.1
0205669	7 x 1.5	1	Yes	9.1
0205673	7 x 1.5	1.5	Yes	9.1
0205671	7 x 1.5	2	Yes	9.1
0205590	7 x 1.5	5	Yes	9.1
0205683	12 x 1.5	0.5	Yes	10.7
0205705	12 x 1.5	0.75	Yes	10.7
0205792	12 x 1.5	1.5	Yes	10.7
0205817	12 x 1.5	2	Yes	10.7
0205794	12 x 1.5	5	Yes	10.7



# JOBARCO

<b>ProductNr</b>	<b>Dimension</b>	<b>Length (m)</b>	<b>Protective conductor</b>	<b>Outer diameter approx. (mm)</b>
0205700	18 x 1.5	0.5	Yes	12.9
0205730	3 x 2.5	0.25	Yes	7.8
0205731	3 x 2.5	0.5	Yes	7.8
0205732	3 x 2.5	0.75	Yes	7.8
0205733	3 x 2.5	1	Yes	7.8
0205944	3 x 2.5	1.2	Yes	7.8
0205734	3 x 2.5	1.25	Yes	7.8
0205735	3 x 2.5	1.5	Yes	7.8
0205736	3 x 2.5	2	Yes	7.8
0205737	3 x 2.5	2.5	Yes	7.8
0205738	3 x 2.5	3	Yes	7.8
0205739	3 x 2.5	3.5	Yes	7.8
0205740	4 x 2.5	0.25	Yes	8.5
0205741	4 x 2.5	0.5	Yes	8.5
0205742	4 x 2.5	0.75	Yes	8.5
0205743	4 x 2.5	1	Yes	8.5
0205744	4 x 2.5	1.25	Yes	8.5
0205745	4 x 2.5	1.5	Yes	8.5
0205746	4 x 2.5	2	Yes	8.5
0205747	4 x 2.5	2.5	Yes	8.5
0205748	4 x 2.5	3	Yes	8.5
0205749	4 x 2.5	3.5	Yes	8.5
0211798	5 x 2.5	0.2	Yes	9.5
0205775	5 x 2.5	0.5	Yes	9.5
0205772	5 x 2.5	0.75	Yes	9.5
0205771	5 x 2.5	1	Yes	9.5
0205806	7 x 2.5	0.5	Yes	11.5
0205788	7 x 2.5	1.5	Yes	11.5
0205811	12 x 2.5	5	Yes	13.6
0206162	4 x 6	3	Yes	12.9